

RUNNING TRACK SPECIFICATIONS

Latex Running Track Systems

GODDARD GTS TRACKS REFLEX-SC

PART 1 – GENERAL DESCRIPTION

1.01 DESCRIPTION

A. Scope

The installation of a latex-based pigmented structural coating for existing latex track surfaces as formulated by and furnished by Goddard Coatings Company of Lake Orion, MI. Materials include latex structural coating and track line paint.

B. Product Description

Goddard GTS REFLEX-SC is a pigmented, flexible polyresin coating composed of carboxylated styrene butadiene latex and mineral fillers to improve UV resistance and retards oxidation.

1.02 QUALITY ASSURANCE

A. Acceptable Installer

Goddard GTS REFLEX-SC system shall be installed by and authorized factory-trained dealer only.

Installer must submit list of similar work using Goddard Coatings Company materials.

1.03 SUBMITTALS

A. Samples

Submit samples of Goddard GTS REFLEX-SC system colors requested by customer.

1.04 DELIVERY AND STORAGE

A. Delivery of Materials

Materials should not be delivered until site and climate is ready for installation.

B. Storage of Materials

The general contractor shall provide a secure, clean, dry location for storage of materials at 50°F to 85°F temperature minimum. Outdoor storage must be fully protected from moisture by a covering with 10 mil polyethylene fill and tarpaulin. All materials stored outside shall be inspected by installer/dealer for moisture contamination before application. Manufacturer recommends materials are to be stored at a secure/locked facility.

1.05 Warranty

A. Warranty

The Goddard GTS REFLEX-SC system installation shall be warranted by the installer/manufacturer for any defects in materials and workmanship for a period of one (1) year or from date of acceptance or as specified in plans and specifications. The warranty shall not cover damage to the installation caused by conditions beyond

REFLEX-R SPECIFICATIONS
GODDARD GTS TRACKS
LATEX RUNNING TRACK SYSTEMS

the control of the guarantor including, but not limited to, moisture permeation from any source, substrate movement or separation, faulty design or construction, abuse of the surface or failure to abide by Care and Maintenance literature including application finishes or protective coatings subsequent to completion of specified work. Furthermore, the warranty does not include any claims regarding the existing rubber surface.

PART 2 PRODUCTS

2.01 MATERIALS

A. Structural Coating

Goddard Structural Coating is a pigmented and flexible coating that is specifically designed to top coat and recoat latex tracks. It provides a colored topcoat that maintains excellent UV resistance and retards oxidation and raveling of the treated surface.

B. Track Line Paint

Goddard GTS track line paint is available in seven (7) standard colors.

PART 3- EXECUTION

3.01 INSPECTION

A. Substrate

Refer to Specific Goddard Coatings Company Substrate Specifications.

Prior to installation of the Goddard GTS REFLEX-SC system, the existing rubber track surface asphaltic or concrete base shall be inspected for surface integrity, which includes delamination, cracks, and high traffic worn areas.

3.02 INSTALLATION

A. Structural Coating

The latex-based structural coating is uniformly applied over a new or existing latex bound rubber track surface using a diaphragm pump spray system. One or two coats are applied depending on the condition of the existing surface or as specified. Multiple colors are available depending on the existing color surface.

B. Line Markings

Lane line marking and events shall be applied in accordance with governing bodies. "Certified" or "Certifiable" lines will be furnished as specified.

C. Site Clean Up

Upon completion of installation, installer shall remove all unused materials, tools equipment and rubbish. To dispose of empty



REFLEX-R SPECIFICATIONS
GODDARD GTS TRACKS
LATEX RUNNING TRACK SYSTEMS

containers in accordance with federal and local guidelines and restrictions.

3.03 PROTECTION

A. Cure Time

No traffic or other trades shall be allowed on the surface for a period of one week following completion to allow for complete cure of finish system.

B. Other Trades

It shall be the responsibility of the general contractor to protect the track from damage from other trades before acceptance by the owner or his agent.

C. Safety

No smoking, open flames or sparks from electrical equipment or other sources shall be permitted during application of materials.

MANUFACTURER:

Goddard GTS REFLEX-SC system is a brand name of Goddard Coatings Company, and all Goddard Coatings Company Systems are installed by authorized, factory-trained personnel.

